

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of

KUROKAWA et al.

Atty. Ref.: 2635-168

Serial No. To be assigned

Group: Unknown

Filed: August 22, 2003

Examiner: Unknown

For: ABNORMALITY DETECTING DEVICE FOR GAS SENSOR

* * * * *

August 22, 2003

Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Sir:

INFORMATION DISCLOSURE STATEMENT

As suggested by 37 C.F.R. 1.97, the undersigned attorney brings to the attention of the Patent and Trademark Office the references listed on the attached form PTO-1449, a copy of each of which is enclosed. This is not to be construed as a representation that a search has been made or that no better prior art exists, or that a reference is relevant merely because cited.


U.S. Patent No. 5,709,198 corresponds to JP 8-271475, and U.S. Patent No. 6,164,125 corresponds to JP 11-6812 which is discussed on page 2 of the specification.

The Examiner is requested to initial the attached form PTO-1449 and to return a copy of the initialed document to the undersigned as an indication that the attached references have been considered and made of record.

Respectfully submitted,

NIXON & VANDERHYE P.C.

By:


Larry S. Nixon
Reg. No. 25,640

LSN:dbd
1100 North Glebe Road, 8th Floor
Arlington, VA 22201-4714
Telephone: (703) 816-4000
Facsimile: (703) 816-4100

INFORMATION DISCLOSURE CITATION

ATTY. DOCKET NO.

SERIAL NO.

2635-168

To be assigned

APPLICANT

KUROKAWA et al.

(Use several sheets if necessary)

FILING DATE

GROUP

August 22, 2003

Unknown

U.S. PATENT DOCUMENTS

[illegible]

FOREIGN PATENT DOCUMENTS

[illegible]

OTHER DOCUMENTS (including Author, Title, Date, Pertinent pages, etc.)

[illegible]

*Examiner

Date Considered

Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to application.